


Julius-Bauser-Straße 40 72186 Empfingen Germany +49 (0) 74 85 - 18 1 - 0

Phone:

E-mail:

Fax: Internet: +49 (0) 74 85 - 18 1 - 0 +49 (0) 74 85 - 18 1 - 16 www.bauser-control.de mail@bauser-control.de





811

## BAUSER Graphic Panel Type 811 CANopen and SAE J1939

Robust, graphical display with CAN technology for mobile and stationary machines and utility vehicles in the Off-Highway sector.

The indication is realized with a graphical display in alphanumerical and graphical form and 8 LEDs.

The 4 buttons are used for settings and scrolling.

The graphic panel supervise and visualise the data from engines and gears via SAE J1939 protocol, e.g.:

- speed
- revolution speed
- fuel level
- oil pressure
- water/ gear temperature
- hour meter and service counter
- error indication

application examples:	construction machines
	agricultural and forestry machines
	fork lifter trucks and transporters
	generators
	compressors
technical data:	SAE J1939 or CANopen protocol
	graphic display in colours yellow-green or blue
	high brightness LED indication
	LED indication and display readable even in direct sunlight
	brightness and contrast adjustable
	front buttons for setting and scrolling
	operating temperature -30° C to +70° C
	voltage supply 9 to 32 V DC
	shock and vibration resistant
	housing resistant against chemicals, UV and salty spray
	viewing part with anti-scratch treatment
	protection class IP67 front
	front dimension: 147 x 87 mm
options:	customised front foil design
	customised OEM software
	real time clock
	additional digital inputs
	relay outputs
	FET outputs
	buzzer